

Index

A

American Academy of Pediatrics (AAP), 13

Anorexia nervosa

- complications, 28
- diagnosis and assessment, 26
- incidence and prevalence, 27–28
- management, 27
- outcome, 27
- psychiatric comorbid, 28
- serum 25(OH)D, 28, 29
- vitamin D supplementation, 29

Auspitz sign, 89

B

Bariatric surgery

- biliopancreatic diversion, 33, 34
- bisphosphonate therapy, 38
- diagnosis/assessment, 34
- hyperparathyroidism, 37
- hypocalcemia, 38
- management, 35
- outcome, 36
- PTH, 37

Bone mineral density (BMD), 79

C

Calcium

- intestinal absorption, 4
 - supplements, osteopenia, 19
- Chronic kidney disease (CKD)
- BMD, 79
 - calcimimetics, 82
 - calcitriol, 81
 - calcium and iPTH, 79
 - cinacalcet, 79
 - clinical pearls/pitfalls, 82–83
 - diagnosis/assessment, 78
 - eGFR, 78
 - hypercalcemia and iPTH, 77
 - hyperparathyroidism, 80, 81
 - KDOQI guidelines, 81
 - management, 79
 - measurements, 81
 - nodular hyperplasia, 81
 - 1,25(OH)₂D, 80
 - parathyroid glands, 82
 - parathyroidectomy, 81
 - paricalcitol, 80, 82
 - phosphorus excretion, 81
- Cystic fibrosis (CF)
- diagnosis and assessment
 - osteopenia, 19
 - pancreatic exocrine insufficiency, 18

Cystic fibrosis (CF) (*cont.*)
 lung pathology, 20
 management, 19
 outcome, 19
 pancreatic exocrine
 insufficiency, 20
 recurrent pulmonary
 infections, 20
 serum 25-hydroxyvitamin D
 (25(OH)D), 21
 tanning beds/UV lamp
 therapy, 21

D

Dual X-ray absorptiometry
 (DEXA), 35

E

Endocrine society, 12, 13, 27
 Estimated glomerular filtration
 rate (eGFR), 78

F

Fibroblast growth factor (FGF), 63

H

Human cathelicidin (hCAP), 21
 Hypocalcemia, 10, 11
 acute treatment, 52
 diagnosis/assessment, 50, 51
 outcome, 53
 post-surgical management, 51
 thyroidectomy, 54
 Hypoparathyroidism, 51–53
 acute, 51, 55
 calcitriol, 55
 case studies, 49–50
 outcome, 53
 permanent hypoparathyroidism,
 51, 55
 PTH 1–84, 52, 53

I

Infants, vitamin D deficiency
 diagnosis/assessment, 10
 generalized seizures, 9
 lactating women, 12
 management/outcome, 11
 maternal vitamin D status, 11
 perihilar infiltration, 10
 supplementation in
 pregnancy, 12
 Institute of Medicine (IOM), 12
 Intact parathyroid hormone
 (iPTH), 77

K

Koebner phenomenon, 89

L

Leukocytosis, 10
 Lyme disease, 2

M

Malnutrition, 26
 Maternal vitamin D deficiency,
 11

N

National Health and Nutrition
 Examination Survey
 (NHANES III), 20
 National Kidney Foundation
 Kidney Disease
 Outcomes Quality
 Initiative (NKF
 KDOQI), 79
 Nodular hyperplasia, 81

O

Osteomalacia, 4
 Osteopenia, 19

P

Pancreatic exocrine insufficiency, 18, 20

Periodic acid-Schiff diastase (PAS-D), 89

Phosphorus disorder

autosomal recessive rickets, 64

case studies, 59

diagnosis/assessment, 60, 61

FGF-23, 63

hypercalcemia, 65

hypophosphatemic rickets

syndromes, 64

management, 62

treatment outcomes, 62

XLH, 61, 64

Postsurgical hypoparathyroidism

case studies, 41, 42

diagnosis, 42, 44

hypocalcemia, 44

management, 42, 43, 45

parathyroid hormone, 43

PTH levels, 45

risk factors, 44

symptoms, 44, 46

treatment, 46

Pseudovitamin D deficiency

rickets. *See* Vitamin

D-dependent rickets

type I (VDDR I)

Psoriasis

acitretin, 88

Auspitz sign, 89

BSA, 89

calcipotriene, 92

clinical pearls/pitfalls, 95

erythema and scaling, 93

genetic and nongenetic risk factors, 93

keratinocytes, 89, 93

keratins, 93

Koebner phenomenon, 89

management

acitretin, 90

calcipotriene, 92

calcipotriol, 91

combination therapy, 92

corticosteroids, 90

dyslipidemia, 91

emollients and

moisturizers, 92

gemfibrozil, 91

hypercholesterolemia, 91

hyperlipidemia, 91

hypertriglyceridemia, 91

moderate/limited, 90

topical/systemic therapies, 90

vitamin D analogs, 91

nail pitting, 88

parakeratosis, 87

PAS-D, 89

plaques, 87, 88

treatment, vitamin D, 94–95

triglyceride levels, 88

types, 93

Psoriasis Disability Index, 90

R

Respiratory syncytial virus (RSV), 10

Rickets, 74. *See also* Vitamin

D-dependent rickets

type I (VDDR I)

S

Selective serotonin reuptake inhibitors (SSRIs), 26

Symptomatic hypocalcemia, 11

V

VDDR II. *See* Vitamin

D-dependent rickets

type II (VDDR II)

Vitamin D deficiency case study

diagnosis and assessment, 2–3

management, 3

osteomalacia, 4

outcome, 3

- Vitamin D deficiency case study
 (*cont*)
 screening, 5
 serum 25(OH)D concentration
 measurement, 5
 skeletal and extraskeletal
 health, 4
 sunlight exposure, 4
 symptoms, 6
 vitamin D supplements, 6
- Vitamin D-dependent rickets
 type I (VDDR I)
 case studies, 71, 72
 diagnosis, 72
 management, 73
- treatment outcome, 73
VDDR II, 72
- Vitamin D-dependent rickets
 type II (VDDR II), 72
- X**
- X-linked hypophosphatemic
 rickets (XLH)
 abnormalities, 61
 bone disease, 65
 counselling, 66
 diagnosis, 60, 61, 65
 genetic testing, 66
 treatment, 62